


SEANEXX RX220 PRO

Wirelessly navigation data – simultaneously to every monitor onboard



certified to CE FC

SEANEXX
www.seaangel-usa.com

Features

- GNSS + AIS + NMEA
- Multiple wireless connection
- USB + NMEA 0183 output
- For use with chart plotters, mobile or portable devices
- Smart wireless navigation solution
- Made in Austria

SEANEXX RX220 PRO

Technical specification



The SEANEXX RX220 PRO combines a GNSS receiver (GPS, GLONASS, QZSS) and an AIS dual channel receiver. The device processes all these data into one data stream that can be read wirelessly via Wi-Fi or conventionally via an NMEA 0183 bus or a USB cable. The Wi-Fi module supports up to 8 tablets, smart phones, laptops and chartplotters. The RX220 PRO features an internal GNSS antenna but also supports an external antenna.

AIS Receiver	Dual channel, 161.975 MHz, 162.025 MHz
GNSS Receiver	GPS, GLONASS, QZSS
Output	Wi-Fi, USB, NMEA 0183
Wi-Fi	Internal antenna, TCP/UDP, up to 8 clients
Power Supply	9-32V DC or via USB
Size	96 x 78 x 30 mm



Available in our webshop – www.seangelusa.com